+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 4

CBN - 122922

Sample ID: SA-221230-15335 Batch:

Type: In-Process Materials Matrix: Concentrate - Isolate Unit Mass (q):

Received: 12/30/2022 Completed: 01/11/2023







Summary

Test Cannabinoids Heavy Metals Pesticides Residual Solvents

Date Tested Status 01/11/2023 Tested 12/30/2022 Tested 01/05/2023 Tested 01/09/2023 Tested

ND

Total Δ9-THC

99.3 % CBN

99.3 %

Total Cannabinoids

Not Tested

Moisture Content

Not Tested

Foreign Matter

Yes

Internal Standard Normalization

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	99.3	993
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	ND	ND
Δ8-ΤΗС	0.0104	0.0312	ND	ND
Δ9-ΤΗС	0.0076	0.0227	ND	ND
Δ9-ΤΗCΑ	0.0084	0.0251	ND	ND
Δ9-ΤΗCV	0.0069	0.0206	ND	ND
Δ9-ΤΗCVA	0.0062	0.0186	ND	ND
Total Δ9-THC			ND	ND
Total CBD			ND	ND
Total			99.3	993

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone

CCO Date: 01/11/2023 Tested By: Scott Caudill Senior Scientist Date: 01/11/2023









This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.